





### • What you need?

Easy and quick to successful presentation with InstaShow. Say goodbye to messy cables, video stutter/lag or poor wireless presentation systems.

### • Why us?

Kick off your presentation with just one click and present smoothly with slides and video clips. Let InstaShow be your best comrade to win the day.

### • What you need?

Efficiency counts for companies and faculties under transformation as they need to react to market/world changes with agility. InstaShow with simplicity in mind that you can start the meeting in no time.

### • Why us?

InstaShow is a "plug-n-play" device which allows for brainstorming, internal training, and group discussions to take place in an instant. What's more, it safeguards your insights with security designs.



### • What you need?

Modern enterprises have come to understand that the quality of visual presentation materials and clear sound for all in-person and remote participants are critical for productive hybrid meetings.

### · Why us?

InstaShow VS model integrates the camera, microphones, and screen-sharing into a wireless presentation system designed to effortlessly upgrade hybrid meeting rooms with stable transmission and voice pickup quality unmatched in the marketplace today.

### • What you need?

No compromise to security and efficiency. Say no to info-security threats. You don't need to make do with wired presentation system or wireless one which requires a lot of IT support and maintenance.

### • Why us?

Leave security risks in the past. As a hardware-based design with up to WPA3 authentication protocol, AES 128-bit encryption and CVSS compliance, InstaShow ensures to transmit data in a quick, smooth and secure way.

#### **You Should Know**

InstaShow offers trustworthy security protection with AES 128-bit security encryption and up to WPA3 Enterprise authentication protocol. Also, InstaShow implements CVSS standards, tested by ISO 27001 & ISO 17025 Security Labs to ensure that any detected vulnerabilities have been blocked. InstaShow is thus a high-specification wireless presentation system to ensure care-free data transmission and to protect your innovations.

# **How InstaShow Improves Your Meeting?**



InstaShow's Industry-leading design makes it installation-free, requiring no complicated setup and ensuring plug-n-play.

### One-Button Start

One Button to Start

With no driver needed, InstaShow ensures that its users can start the meeting by plug-n-play to project an image in no time, the new VS model even integrates with button microphone, so you can plug and play to present and speak freely via InstaShow for hybrid meetings.

### **Support Multiple Devices**

 Convenient Multi-platform Compatibility InstaShow complies up to HDMI 2.0 and HDCP 2.3 certification standards. Users can freely present on any device with a standard HDMI input and utilize content from a wide range of devices such as laptops and Blu-ray/DVD players. InstaShow's exclusive extended desktop mode enables presenters to view content on both Windows and OS X platforms.

### Presentation ApplicationPrese

- Switch the Presenter in One Click Streamline the meeting by clicking the Button to change the presenter without fiddling with the cables.
- Conduct Sync Discussions Up to 4 presenters can share their presentations on one screen. Sync discussions are made possible to reach a consensus and come up with great solutions.

\*WDC20 allows presentations for four presenters to share content on one screen, and WDC30 even for 8 presenters to share content (up to two screens supported by two HDMI

 Touch Back to Manage the Meeting Touch the screen and you can manage your presentation without being stuck in front of your laptop.

\* For WDC20 and WDC30.



# *⊙* Steady

Share your ideas in high resolution slides and 4K videos smoothly so you can present with a smooth train of thought. InstaShow provides the forward-looking way for you to present your concepts and tell good stories with steady performance.

### Smooth and Clear Images

- Clearest Signals Only InstaShow employs Clear Channel Assessment (CCA) to automatically detect and select the best channel for reliably perfect Wi-Fi performance.
- Stable Transmission Up to 30 Meters InstaShow supports stable wireless transmission up to 30 meters. Attendees can participate in a smooth meeting be it in a small meeting space or bigger conference room.

### **Futureproof**

 Up to Wi-Fi 6 (802.11ax) Standard Its high throughput ensures smooth wireless 4K\* video streaming without stuttering.

\*The Wi-Fi standard of WDC30 transmits various content (audio, video, 45 transmits various content) a more efficient way



# Integration Seamlessly

The new VS model Integrates camera, microphone, and screen sharing via one app into a cable-free hybrid video conferencing room. Ideal for medium to large-size rooms, VS model facilitates hybrid meetings with affordable efficiency.

### **IT-Friendly Installation**

Just connect your display and video bar to your InstaShow Host (Rx) to integrate all your video conferencing systems easily.

### Facilitate Wireless Video Conferencing


InstaShow VS Assist app combines the meeting room video bar, camera, and screen sharing under the same network to all video conferencing assets for both local attendees and remote participants.

# Display Video Bar Internet USB HDMI VS20(RX) VC meeting Host WC meeting Host

### **Expandable Multipoint Voice Pickup**

The InstaShow VS model features an Expandable Wireless Microphone System with a built-in wireless cascade microphone. This microphone system is capable of multipoint pickup, capturing the voices of participants seated in any location within medium to large conference rooms. With advanced algorithms for voice mixing, it ensures clearer collaboration during meetings.

- Omnidirectional Microphones
   Each InstaShow Button's wireless microphone has a four-way voice reception design that picks up all voices clearly up to 1.5m radius.
- Plug and Play Microphones Reception
   Simply plug and play presentation materials and speak freely via InstaShow
   Button Microphones for video conferencing in every huddle room.
- Mute Key on InstaShow Button
  Each wireless microphone can be individually muted at the touch of a button for efficient and engaging meetings.





## Easy-to-Maintain

InstaShow is ready to use right out of the box with hassle-free maintenance.

### Centralized Control

### Efficient Centralized Control

IT administrators can manage InstaShow remotely via LAN to control pairings, adjust settings, and update the firmware conveniently with BenQ's OTA (over the air) technology.

### Customization

### Custom Standby Wallpaper to Strengthen Corporate

With the MyScreen function, businesses can strengthen corporate branding and establish the profess-ional image by using their own custom standby wallpaper \*.

- \* Wi-Fi and password information for accessing InstaShow will still remain on screen.
- \* For WDC20 and WDC30 only.



### Secure

As the device which offers the highest level hacker-free security to counter data breaches, InstaShow is the only wireless presentation system which offers the enterprise-level securities, and compliant with financial industry procurement standards and regulations.

### **Data Security**

### High Security Standard

AES 128-bit security encryption and the WPA2/WPA3 authentication protocol ensure that any intellectual properties remain private and safe from tampering or unintended disclosure, guaranteeing that presentations are absolutely secure.

\* WDC30 is protected with the highest WPA3 authentication, and WDC10/ WDC10C/ WDC20/ WDC20C are protected with WPA2 authentication.

### HDCP Adoption

Using HDMI to deliver HDCP-secured content, InstaShow protects against unwanted interception or copying of transmitted digital content. Presenters can thus connect their devices to the HDCP-compatible InstaShow system, free from security concerns.

### Router-Level Chipset Inside

Qualcomm Technologies provide ideal Wi-Fi coverage, creating high-speed zones to handle multi-band and fast media traffic with the internal connection channels isolation.

### **Upgrade Transmission Security** for WDC30

### Wi-Fi 6 Networking Standard

The latest Wi-Fi 6 technology enables higher data transfer rates than previous Wi-Fi standards, allowing InstaShow WDC30 to transmit various content (audio, video, 4K images, etc.) more efficiently. Wi-Fi 6 also supports bidirectional transmission to upload and download data simultaneously. Visuals displayed on the split screen will be smoother and clearer.

### Low Latency Performance

The WDC30 offers outputs up to 4K@60fps\* resolution, making it especially suitable for playing high resolution slides and videos smoothly.

\*Input resolution up to 1920x1080; output resolution via HDMI 1.4 up to 1920x1080@60fps; HDMI 2.0 up to 4096x2160@60fps.

### Common Criteria, EAL6 augmented (EAL6+)

Thoroughly tested via the Common Criteria guidelines and specifications, Especially InstaShow WDC30 passes the EAL6+ standard (higher above the industry standard EAL>4,) guaranteeing the principal security of its features are reliably applied. WDC30 offers protections way above the security standards required for the financial industry.

### Why Common Criteria EAL6+ Certification is Critical?

The data breaches the majority of companies suffered from in the past years came from unsecured wireless devices like printers, scanners, mobile phones or laptops connected to their Wi-Fi network since cyber-attacks aim at these devices as the weakest points to get 'way in' to a business network.

In order to counter network infiltration, companies should make sure that the wireless devices they use pass at least vulnerability tests for WPA2 or WPA3. What's more, it's highly suggested to employ Common Criteria for Information Technology Security Evaluation (CC) to provide extra protection to these wireless devices.

CC refers to the Evaluation Assurance Level (EAL), which has seven levels graded from EAL1 to EAL7. Financial services generally use EAL6 augmented (or EAL6+) security compliance in their payment systems to justify the additional costs spent when handling high value protected assets that are transmitted in high risk situations.





**VS20** 



WDC



WDC10



WDC20



WDC20C



WDC3

	V320	WDCIO	WDCIOC	WDC20	WDC20C	WDC30
Application	Hybrid Meeting	Wireless Presentation	Wireless Presentation	Collaboration Meeting	Collaboration Meeting	Data Sensitive Collaboration Meeting
Feature						
Video outputs	HDMI 2.0, comply with HDCP	HDMI 1.4, comply with HDCP HDMI 2.0, comply with HDCP				
Output Resolution	Up to 4k@60fps	Up to 1080p@60fps	Up to 1080p@60fps	Up to 4K@30fps	Up to 4K@30fps	Up to 4K@60fps
WiFi Standard	Wi-Fi 5	Wi-Fi 6				
Data rate wireless	Up to 867 Mbps	Up to 1201Mbps				
Authentication protocol	WPA2-PSK (Pre-Shared key)	WPA3-(Pre-Shared key)				
Security (encryption)	AES 128 bit / enterprise 256 bit	AES 128 bit	AES 128 bit	AES 128 bit	AES 128 bit	AES128bit
Reach	Up to 20m*	Up to 8m*	Up to 8m*	Up to 15m*	Up to 15m*	Up to 30m*
Support platform (WPS)	Windows, Linux, Mac, Chrome.					
B.Y.O.D	iOS / Windows	N/A	N/A	iOS / Google Cast / InstaShare App	iOS / Google Cast / InstaShare App	iOS / Google Cast / InstaShare App
Simultaneous connections	32 pcs	16 pcs	16 pcs	32 pcs	32 pcs	64 pcs (32 Buttons + 32 BYOD devices)
Touchback Support	Yes	N/A	N/A	Yes	Yes	Yes
Temperature range	Operating: 0°C to +40°C (+32°F to +104°F) Storage: -10°C to +60°C (+14°F to +140°F)	Operating: 0°C to +40°C (+32°F to +104°F) Storage: -10°C to +60°C (+14°F to +140°F)	Operating: 0°C to +40°C (+32°F to +104°F) Storage: -10°C to +60°C (+14°F to +140°F)	Operating: 0°C to +40°C (+32°F to +104°F) Storage: -10°C to +60°C (+14°F to +140°F)	Operating: 0°C to +40°C (+32°F to +104°F) Storage: -10°C to +60°C (+14°F to +140°F)	Operating: 0°C to +40°C (+32°F to +104°F) Storage: -10°C to +60°C (+14°F to +140°F)
Humidity	Storage: 5% to 90% relative humidity, non-condensing Operation: 10% to 80% relative humidity, non-condensing	Storage: 5% to 90% relative humidity, non-condensing Operation: 10% to 80% relative humidity, non-condensing	Storage: 5% to 90% relative humidity, non-condensing Operation: 10% to 80% relative humidity, non-condensing	Storage: 5% to 90% relative humidity, non-condensing Operation: 10% to 80% relative humidity, non-condensing	Storage: 5% to 90% relative humidity, non-condensing Operation: 10% to 80% relative humidity, non-condensing	Storage: 5% to 90% relative humidity, non-condensing Operation: 10% to 80% relative humidity, non-condensing
InstaShow Button						
Cable	USB Type-C** x1 (One spare cable: USB Type A cable x1 with HDMI cable x1)	USB Type A cable x1 HDMI cable x1	USB Type-C** x1	USB Type A cable x1 HDMI cable x1	USB Type-C** x1	USB Type A cable x1 HDMI cable x1
Built-in microphone	Yes	N/A	N/A	N/A	N/A	N/A
InstaShow Host						
Standby Button	x1	x1	x1	x1	x1	x1
Pairing Key	x1	x1	x1	x1	x1	x1
Video Output	HDMI 2.0 x1	HDMI 1.4 x1	HDMI 1.4 x1	HDMI 1.4 x1	HDMI 1.4 x1	x2 (HDMI 1.4 x1, HDMI 2.0 x1)
Power Supply	DC 12V±10%, 3A	DC 5V±10%, 1.5A	DC 5V±10%, 1.5A	DC 12V±10%, 2A	DC 12V±10%, 2A	DC 12V±5%, 3.33A
Power Consumption	Normal: 11W	Normal: 5W	Normal: 5W	Normal: 15W	Normal: 15W	Normal:12W
Dimension (WxHxD) (not include rubber feet)	145 x 145 x 46 mm	110 x 110 x 27 mm	110 x 110 x 27 mm	140 x 140 x 34 mm	140 x 140 x 34 mm	156 x 156 x 70 mm
Weight	332g	150g	150g	330g	330g	821.5g
Video Conference Peripherals	USB-A 3.0 x2, USB-A 2.0 x1	N/A	N/A	N/A	N/A	N/A
Cradle						
Dimensioin	85 x 97.5 x 170.4 mm	85 x 97.5 x 170.4 mm	85 x 97.5 x 170.4 mm	100.4 x 92.6 x 152 mm	100.4 x 92.6 x 152 mm	85 x 97.5 x 170.4 mm
Weight	630g	630g	630g	550g	550g	630g
Package						
InstaShow Button	x2	x2	x2	x2	x2	x2
InstaShow Host	x1	x1	x1	x1	x1	x1
Cradle	x1	x1	x1	x1	x1	x1
USB Power Cable	N/A	1.5m USB 3.0 Type A(M) to micro-B(M) cable x1	1.5m USB 3.0 Type A(M) to micro-B(M) cable x1	N/A	N/A	N/A
HDMI Cable	x1	x1	x1	x1	x1	x1
USB Extended Cable	N/A	0.8m USB Type A(F) to USB Type A(M) cable x1	0.8m USB Type A(F) to USB Type A(M) cable x1	0.15m USB Type A(F) to USB Type A(M) cable x1	0.15m USB Type A(F) to USB Type A(M) cable x1	N/A
Antenna	x4 (Black)	x2 (Black)	x2 (Black)	x4 (Black)	x4 (Black)	x4 (Black)
Power Adapter	x1	х1	x1	x1	x1	x1
Quick Start Guide	x1	х1	х1	x1	x1	х1
Safety Statement	x1	x1	x1	x1	x1	х1
Rubber Feet	x4	x4	x4	x4	x4	x4

<sup>\*</sup>Wireless connection speed and available maximum range depends on wireless environment.

<sup>\*\*</sup>Video source with USB-C port should be compliant with Thunderbolt 3 or support DisplayPort Alt Mode(DisplayPort version is higher or equal to 1.2).